


Deauthorizing ArcGIS Pro Concurrent Use licenses offline


Open your **ArcGIS License Server Administrator**.

Ensure any borrowed or checked out licenses are returned via the **Availability** folder, then navigate to the **Authorization** folder.


Select **ArcGIS Pro 1.4 - 2.6** from the drop-down menu and click **Deauthorize**




In the Software Authorization Wizard, select **Deauthorize at Esri's website or by email to receive your deauthorization file** and click **Next**



Select the feature you wish to deauthorize and specify the number of licenses to be removed, then click **Next**




Click **Save** to generate the **deauthorize.txt** file and save it to a location of your choice




From a device connected to the Internet, log in to My Esri.

NOTE: The account must have minimum permissions to make licencing changes

Navigate to **My Organization > Additional Licensing Forms > Secure Site Operations**




Using the **Choose File** button, browse to the **deauthorize.txt** file you created earlier and click **Upload**




Your secure deauthorization file will download and will appear at the bottom left-hand side of your web browser.

Click on the file and allow it to run and make changes to your machine when prompted.



You will be returned to the software deauthorization screen and your file automatically referenced.

Click **Next** to proceed.



A notification will appear confirming the completion of the authorization process.
You will also see a list of the authorized features.

Click **Finish** to close the wizard

